

Serial No.: 10/537,187

Case No.: 21208Y

Page No.: 2


RECEIVED
CENTRAL FAX CENTER

DEC 19 2007

Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (Currently Amended) A compound represented by formula I:



or a pharmaceutically acceptable salt or solvate thereof, wherein:

a and b are independently selected from the integers 0 and 1, such that the sum of a and b is 0 or 1; one of a and b is 1 and the other is 0;

X is selected from CH₂ and C(O);

R¹ is selected from the group consisting of:

(1) C₁₋₁₅ alkyl optionally substituted with up to five groups as follows: (a) 1-3 OH groups; (b) 1 oxo group; (c) 1-5 halo groups, up to a perhaloalkyl group; (d) 1-3 C₁₋₆ alkoxy groups optionally substituted with up to five halo or a perhaloalkoxy, or up to 2 hydroxy or CO₂R⁶ groups; (e) 1-2 CO₂R⁶ groups and (f) 1-2 phenyl groups, each optionally substituted as follows: 1-5 halo groups, (2) 1-2 OH, CO₂R⁶, CN or S(O)_pR⁵ groups, and (3) 1-2 C₁₋₆ alkyl or alkoxy groups, each optionally substituted with 1-5 halo, up to perhaloalkyl, and 1-2 OH or CO₂R⁶ groups; and

(2) aryl or heteroaryl, optionally substituted as set forth below:

(a) 1-3 hydroxy groups; (b) 1-5 halo groups; (c) 1-3 C₁₋₁₅ alkyl or alkoxy groups, each optionally substituted with up to five halo and 1-2 hydroxy or CO₂R⁶ groups; (d) 1-2 CO₂R⁶, CN, S(O)_pR⁵ or CONR⁹R¹⁰ groups; (e) NR⁹R¹⁰; (f) SCF₃; (g) phenyl, heteroaryl or O-phenyl, said group being optionally substituted with 1-5 halo groups, 1-2 OH, CO₂R⁶, CN or S(O)_nR⁵ groups, and 1-2 C₁₋₆ alkyl or alkoxy groups, each optionally substituted with 1-5 halo, up to perhaloalkyl, and 1-2 OH or CO₂R⁶ groups;

R² represents H or C₁₋₆alkyl;

R³ represents H or F;

R⁴ is selected from the group consisting of H, F and OH;

or R³ and R⁴ are taken in combination and represent an oxo group;

R⁵ represents a C₁₋₁₀alkyl group;

Serial No.: 10/537,187

Case No.: 21208Y

Page No.: 3

R^6 represents H or C_{1-10} alkyl, optionally substituted with OH, OC_{1-6} alkyl, CO_2H , CO_2C_{1-6} alkyl, and 1-3 halo groups;

R^7 represents H, CO_2R^6 , C_{1-6} alkyl optionally substituted with OH, OC_{1-6} alkyl, CO_2R^6 or 1-3 halo groups;

R^8 and R^9 are independently selected from H and C_{1-6} alkyl;

R^{10} is H or is independently selected from:

(a) C_{1-10} alkyl, optionally substituted with OH, OC_{1-6} alkyl, CO_2H , CO_2C_{1-6} alkyl, and 1-3 halo groups; (b) aryl or C_{1-6} alkaryl, each optionally substituted with 1-5 halos and 1-3 members selected from the group consisting of: CN, OH, C_{1-10} alkyl and OC_{1-10} alkyl, said alkyl and alkoxy being further optionally substituted with 1-5 halo groups up to perhalo; (c) heterocycle, or C_{1-6} alkyl-heterocycle, optionally substituted with 1-5 halo groups and 1-3 groups selected from: oxo, C_{1-10} alkyl and OC_{1-10} alkyl, said alkyl and alkoxy being further optionally substituted with 1-5 halo groups up to perhalo; and (d) heteroaryl or C_{1-6} alkyl-heteroaryl, optionally substituted with 1-5 halo groups and 1-3 groups selected from: C_{1-10} alkyl and OC_{1-10} alkyl, said alkyl and alkoxy being further optionally substituted with 1-5 halo groups up to perhalo;

R^{11} is independently selected from the group consisting of:

(a) C_{1-10} alkyl, optionally substituted with OH, OC_{1-6} alkyl, CO_2H , CO_2C_{1-6} alkyl, and 1-3 halo groups; (b) aryl or C_{1-6} alkaryl, each optionally substituted with 1-5 halos and 1-3 members selected from the group consisting of: CN, OH, C_{1-10} alkyl and OC_{1-10} alkyl, said alkyl and alkoxy being further optionally substituted with 1-5 halo groups up to perhalo; (c) heterocycle, or C_{1-6} alkyl-heterocycle, optionally substituted with 1-5 halo groups and 1-3 groups selected from: oxo, C_{1-10} alkyl and OC_{1-10} alkyl, said alkyl and alkoxy being further optionally substituted with 1-5 halo groups up to perhalo; and (d) heteroaryl or C_{1-6} alkyl-heteroaryl, optionally substituted with 1-5 halo groups and 1-3 groups selected from: C_{1-10} alkyl and OC_{1-10} alkyl, said alkyl and alkoxy being further optionally substituted with 1-5 halo groups up to perhalo;

Y represents a 4 to 8 membered spirocarbocyclic ring ~~or a spiroheterocyclic ring containing up to three heteroatoms, 0-1 of which are selected from O and S and 0-3 of which are N,~~

said spirocarbocyclic ~~or spiroheterocyclic~~ ring being optionally substituted on either carbon or nitrogen atoms with up to three groups independently selected as follows:

(a) 1-2 phenyl groups, each being optionally substituted with one to five groups independently selected from the group consisting of: (1) 1-3 hydroxy groups; (2) 1-5 halo groups; (3) 1-3 C_{1-8} alkyl or alkoxy groups, each being further optionally substituted with 1-5 halo or 1-2 OH or CO_2R^6 groups, and (4) 1-2 CO_2R^6 , CN, $S(O)_pR^5$, $CONR^9R^{10}$ or NO_2 groups;

Serial No.: 10/537,187

Case No.: 21208Y

Page No.: 4

(b) C_{1-10} alkyl optionally substituted with 1-5 groups selected as follows: (i) 1-3 hydroxy groups; (ii) 1 oxo group; (iii) 1-5 halo groups up to perhalo; (iv) 1-3 C_{1-10} alkoxy groups, optionally substituted with 1-5 halo groups up to perhalo, or 1-2 hydroxy or CO_2R^6 groups; (v) 1-2 CO_2R^6 groups; (vi) phenyl, optionally substituted with one to five groups independently selected from the group consisting of: (a) 1-3 hydroxy groups; (b) 1-5 halo groups; (c) 1-3 C_{1-6} alkyl or alkoxy groups, optionally substituted with 1-5 halo groups up to perhalo, or 1-2 hydroxy or CO_2R^6 groups; (d) 1-2 CO_2R^6 , CN, $S(O)_pR^5$, $CONR^9R^{10}$ or NO_2 groups; (e) 1-2 phenyl rings, each of which is optionally substituted as follows: 1-3 C_{1-10} alkyl or alkoxy groups, each being further optionally substituted with 1-5 halo up to perhalo, or 1-2 hydroxy or CO_2R^6 groups;

said spirocarbocyclic or spiroheterocyclic ring being further optionally substituted on a carbon atom with a member selected from the group consisting of:

- (a) $-NR^8-C(O)-NR^9R^{10}$; (b) $-NR^8-CO_2R^{11}$; (c) $-NR^8-C(O)R^{11}$; (d) $-NR^9R^{10}$; (e) $-NR^8SO_2R^{11}$; (f) $-SO_2-NR^9R^{10}$; (g) $-C(O)NR^9R^{10}$ and (h) $-OC(O)-NR^9R^{10}$;

and when said ring contains a nitrogen atom, said ring being further optionally substituted on the nitrogen atom with a member selected from the group consisting of:

- (a) $-C(O)NR^9R^{10}$; (b) $-CO_2R^{11}$; (c) $C(O)R^{11}$; and (d) $-SO_2R^{11}$;

m and p are independently selected from 0, 1 and 2, and n is an integer from 0 to 6,

when both m and n are zero, Z is selected from 5-tetrazolyl and 5-(2-oxo-1,3,4-oxadiazolyl) and when one of m and n is other than zero, Z is selected from the group consisting of: CO_2R^6 , with R^6 as defined above, 5-tetrazolyl and 5-(2-oxo-1,3,4-oxadiazolyl).

Claim 2 (Original) A compound in accordance with claim 1 wherein:

R^1 is selected from the group consisting of:

- (1) C_{1-6} alkyl optionally substituted with 1-3 groups selected from: OH, halo, C_{1-3} alkoxy, halo- C_{1-3} alkoxy and phenyl, said phenyl being optionally substituted with 1-3 halo groups, SO_2R^5 , and 1-2 C_{1-3} alkyl or alkoxy groups optionally substituted with 1-3 halo groups, and
- (2) aryl optionally substituted with 1-3 halo groups; 1-2 C_{1-3} alkyl or alkoxy groups, each optionally substituted with 1-3 halo groups; $-NR^9R^{10}$ wherein R^9 and R^{10} are H or methyl; SCF_3 and heteroaryl.

Claim 3 (Original) A compound in accordance with claim 2 wherein:

R^1 represents phenyl optionally substituted with 1-2 groups selected from Br, Cl; trifluoromethyl and trifluoromethoxy.

Serial No.: 10/537,187

Case No.: 21208Y

Page No.: 5

Claims 4-5 (Cancelled)

Claim 6 (Currently Amended) A compound in accordance with claim 1 wherein:

Y represents a spiroC₄₋₈cycloalkyl group or a 5-6 membered spiroheterocyclic group containing 1-N atom,

said ring being optionally substituted with a C₁₋₆ alkyl group, which is optionally substituted with 1-3 halo groups or 1 Phenyl ring that is optionally substituted with 1-2 halo, 1-2 C₁₋₃ alkyl or alkoxy groups, said alkyl and alkoxy substituents being further optionally substituted with 1-3 halo groups.

Claim 7 (Currently Amended) A compound in accordance with claim 6 wherein:

Y represents a spirocyclohexyl or spiroperidinyll group that is substituted with a C₁₋₄ alkyl group that is optionally substituted with a phenyl ring.

Claim 8 (Original) A compound in accordance with claim 7 wherein:

Y represents a spirocyclohexyl group substituted with a t-butyl group at the 4 position.

Claim 9 (Original) A compound in accordance with claim 1 wherein: R² is H or C₁₋

3alkyl.

Claim 10 (Original) A compound in accordance with claim 9 wherein: R² represents H.Claim 11 (Original) A compound in accordance with claim 1 wherein: R⁷ represents H

or methyl.

Claim 12 (Original) A compound in accordance with claim 11 wherein R⁷ represents H.

Claim 13 (Original) A compound in accordance with claim 1 wherein:

n and m represent 0, and Z represents a 5-tetrazolyl group.

Claim 14 (Original) A compound in accordance with claim 1 wherein:

m represents 0, n represents 2, and Z represents a CO₂R⁶ group.

Claim 15 (Original) A compound in accordance with claim 1 wherein:

Serial No.: 10/537,187
Case No.: 21208Y
Page No.: 6

m and n each represent 1, R³ represents OH, R⁴ represents H and Z represents a CO₂R⁶ group.

Claim 16 (Currently Amended) A compound in accordance with claim 1 wherein:

R¹ is selected from the group consisting of:

- (1) C₁₋₆ alkyl optionally substituted with 1-3 groups selected from: OH, halo, C₁₋₃ alkoxy, halo-C₁₋₃alkoxy and phenyl, said phenyl being optionally substituted with 1-3 halo groups, SO₂R⁵, and 1-2 C₁₋₃alkyl or alkoxy groups optionally substituted with 1-3 halo groups, and
- (2) aryl optionally substituted with 1-3 halo groups; 1-2 C₁₋₃alkyl or alkoxy groups, each optionally substituted with 1-3 halo groups; -NR⁹R¹⁰ wherein R⁹ and R¹⁰ are H or methyl; SCF₃ and heteroaryl;

X represents CH₂;

~~a and b represent 0 or a represents 1 and b represents 0; one of a and b represent 1 and the other represents 0;~~

Y represents a spiroC₄₋₈cycloalkyl group or a 5-6 membered spiroheterocyclic group containing 1 N atom,

said ring being optionally substituted with a C₁₋₆ alkyl group, which is optionally substituted with 1-3 halo groups or 1 Phenyl ring that is optionally substituted with 1-2 halo, 1-2 C₁₋₃ alkyl or alkoxy groups, said alkyl and alkoxy substituents being further optionally substituted with 1-3 halo groups;

R² is H or C₁₋₃alkyl;

R⁷ represents H or methyl;

m and n represent 0, and Z represents a 5-tetrazolyl group.

Claim 17 (Currently Amended) A compound in accordance with claim 1 wherein:

R¹ is selected from the group consisting of:

- (1) C₁₋₆ alkyl optionally substituted with 1-3 groups selected from: OH, halo, C₁₋₃ alkoxy, halo-C₁₋₃alkoxy and phenyl, said phenyl being optionally substituted with 1-3 halo groups, SO₂R⁵, and 1-2 C₁₋₃alkyl or alkoxy groups optionally substituted with 1-3 halo groups,
- and

- (2) aryl optionally substituted with 1-3 halo groups; 1-2 C₁₋₃alkyl or alkoxy groups, each optionally substituted with 1-3 halo groups; -NR⁹R¹⁰ wherein R⁹ and R¹⁰ are H or methyl; SCF₃ and heteroaryl;

X represents CH₂;

Serial No.: 10/537,187

Case No.: 21208Y

Page No.: 7

~~a and b represent 0 or a represents 1 and b represents 0; one of a and b represents 1 and the other represents 0;~~

Y represents a spiroC₄₋₈cycloalkyl group or a 5-6 membered spiroheterocyclic group containing 1 N atom,

said ring being optionally substituted with a C₁₋₆ alkyl group, which is optionally substituted with 1-3 halo groups or 1 Phenyl ring that is optionally substituted with 1-2 halo, 1-2 C₁₋₃ alkyl or alkoxy groups, said alkyl and alkoxy substituents being further optionally substituted with 1-3 halo groups;

R² is H or C₁₋₃alkyl;

R⁷ represents H or methyl;

m represents 0, n represents 2, and Z represents a CO₂R⁶ group.

Claim 18 (Currently Amended) A compound in accordance with claim 1 wherein:

R¹ is selected from the group consisting of:

(1) C₁₋₆ alkyl optionally substituted with 1-3 groups selected from: OH, halo, C₁₋₃ alkoxy, halo-C₁₋₃alkoxy and phenyl, said phenyl being optionally substituted with 1-3 halo groups, SO₂R⁵, and 1-2 C₁₋₃alkyl or alkoxy groups optionally substituted with 1-3 halo groups, and

(2) aryl optionally substituted with 1-3 halo groups; 1-2 C₁₋₃alkyl or alkoxy groups, each optionally substituted with 1-3 halo groups; -NR⁹R¹⁰ wherein R⁹ and R¹⁰ are H or methyl; SCF₃ and heteroaryl; .

X represents CH₂;

~~a and b represent 0 or a represents 1 and b represents 0; one of a and b represents 1 and the other represents 0;~~

Y represents a spiroC₄₋₈cycloalkyl group or a 5-6 membered spiroheterocyclic group containing 1 N atom,

said ring being optionally substituted with a C₁₋₆ alkyl group, which is optionally substituted with 1-3 halo groups or 1 Phenyl ring that is optionally substituted with 1-2 halo, 1-2 C₁₋₃ alkyl or alkoxy groups, said alkyl and alkoxy substituents being further optionally substituted with 1-3 halo groups;

R² is H or C₁₋₃alkyl;

R⁷ represents H or methyl;









m and n each represent 1, R³ represents OH, R⁴ represents H and Z represents a CO₂R⁶ group.

Serial No.: 10/537,187

Case No.: 21208Y

Page No.: 8


Claim 19 (Currently Amended) A compound in accordance with claim 1 selected from the following table:

TABLE 1			
	Compound		Compound
			
			
			
			

Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 9



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 10



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 11



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 12



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 13



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 14



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 15



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 16



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 17



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 18



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 19



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 20



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 21



Serial No.: 10/537,187

Case No.: 21208Y


Page No.: 22



Serial No.: 10/537,187

Case No.: 21208Y

Page No.: 23



or a pharmaceutically acceptable salt or solvate thereof.

Claim 20 (Original) A pharmaceutical composition comprising a compound in accordance with claim 1 in combination with a pharmaceutically acceptable carrier.

Claim 21 (Original) A method of treating type 2 diabetes mellitus in a mammalian patient in need of such treatment comprising administering to said patient a compound in accordance with claim 1 in an amount that is effective to treat said type 2 diabetes mellitus.